

## Product environmental attributes - IT Eco Declaration 2003

<b>Brand</b>	Lexmark	
<b>Manufacturer</b>	Lexmark International Inc.	
<b>Manufacturer's representative</b>	Name: Nicole L Webb e-mail: nwebb@lexmark.com	
<b>Contact person</b>	Name: Cajsa Lindgårdh e-mail: cajsa.lindgardh@lexmark.se	
<b>Postal address</b>	Smidesvägen 10-12	
<b>Postal code /City/ Country</b>	171 41 Solna	
<b>Telephone (incl. country code)</b>	+ 46 8 5225 79 00	
<b>Mobile phone (incl. country code)</b>	+ 46 733 55 90 04	
<b>Fax (incl. country code)</b>	+ 46 5225 79 80	
<b>Internet site</b>	www.lexmark.se	
<b>Additional information</b>		

<b>This declaration covers the below listed Information Technology product categories* with specified product identity (ID) such as type/model number.</b>		
<input type="checkbox"/> Computer system unit CPU	<input type="checkbox"/> Mobile/portable computer	<input type="checkbox"/> Server
<input type="checkbox"/> Display/ monitor	<input type="checkbox"/> Keyboard	Digital <input type="checkbox"/> Projector <input type="checkbox"/> Camera
<input checked="" type="checkbox"/> Printer <input type="checkbox"/> Copier <input type="checkbox"/> Fax <input type="checkbox"/> Multifunction product <input type="checkbox"/> Scanner	<input type="checkbox"/> Other IT product, specify:	
<input checked="" type="checkbox"/> Black/white <input type="checkbox"/> Colour Pages per minute: 50		
<b>Product identity</b>	<b>Lexmark T644</b>	
<b>Issue date</b>	2005-05-12	
<b>Guideline document (Version of Guideline document used for completion of this declaration (month, year))</b>	2004-06-01	

**This IT Eco Declaration consists of three documents:**

- Company environmental profile: Divided into two sections, legal and market requirements
- Product environmental attributes: Divided into two sections, legal and market requirements
- Guideline document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: [www.itecodeclaration.org](http://www.itecodeclaration.org)

**Notes:**

Voluntary vs compulsory requirements: Items marked V are voluntary to answer, all other items must be answered.

The latest version of the Guideline document must be used. Specify in table above according to which version of the guideline document this declaration has been completed.

This version of the IT Eco Declaration is adjusted to the document "Product-related Environmental Attributes", issued by the European Association for Standardizing Information and Communication Systems (ECMA), TR/70, version 1999.

This version of the IT Eco Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).

When references are given to standards like ISO, IEC and EN, the latest version should always be referred to.

For telecommunication products, use eco declaration for telecommunication products.

This IT Eco Declaration version can be used from October 1<sup>st</sup> 2003 and shall be used for products announced after December 1<sup>st</sup> 2003.

**The IT Eco Declaration is a system for declaration of environmental aspects of IT and telecom products, developed by the Nordic IT organisations, IT-Företagen in Sweden, ITB in Denmark, IKT-Norge in Norway and TTK ry in Finland.**

**This IT Eco Declaration may only be used after having signed a contract with at least one of these organisations.**

Product identity	<b>Lexmark T644</b>	
Issue date	2005-05-12	Logo

Product environmental attributes - <u>Legal requirements</u>		Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P1 Environmental conscious design</b>				
P1.1	Product parts are free from, i.e. less than 0.1% by weight (b.w.), CFCs & HCFCs, asbestos, PCB & PCT (3093/94/EEC, 76/769/EEC, 6th amendment, 99/77/EEC, 82/828/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2	Components are free from, i.e. less than 0.1% b.w., mercury (Hg), except for small amounts of mercury which are allowed in light sources. (SE SFS 1998:944)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3	Cadmium (Cd) content of colorants, stabilizers, and surface treatments does not exceed, 0.01% b.w., as specified in 76/769/EEC, 10th amendment, 1991/338/EEC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4	Paints are free from lead (Pb), i.e. less than 0.1% b.w., (76/769/EEC, 8th amendment, 89/677/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.5	Paints, coatings, plastics, rubbers and seals are free from flame retardants and/or plasticizers containing Short Chain Chlorinated Paraffines (SCCPs) with more than 0,1% by weight, 10-13 carbon atoms, minimum 48% chlorine by weight, CAS number 63449-39-8 (NO MVD regulation 1544, 2000.12.13 and FI 416/2003).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.6	If the product is intended for direct and prolonged skin contact, the surfaces do not release nickel (Ni) above levels specified in (76/769/EEC, 8th amendment, 94/27/EEC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P2 Batteries</b>				
P2.1	If hazardous batteries are used in the product, they are labelled. (93/86/EEC).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P2.2	If batteries are used in the product they are free (<0.0005% by weight) from mercury (Hg) (98/101/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P3 Electrical safety, EMC and connection to the telephone network</b>				
P3.1	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P3.4	The product is CE-marked (93/68/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<b>P4 Consumable materials</b>				
P4.1	If a photo conductor (drum, belt etc.) is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (76/769/EEC and 91/338/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P4.2	If an ink is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (91/338/EEC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P4.3	If toner/ink (or corresponding) are used in the product, they are classified and if required labelled in accordance with EU directives	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P5 Packaging materials</b>				
P5.1	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0.01% by weight (100 ppm). (94/62/EC).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2	The product packaging material is free from CFC/HCFC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<b>This product meets above listed legal requirements</b>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Product Identity	<b>Lexmark T644</b>	
Issue date	2005-05-12	Logo

Product environmental attributes - Market requirements		Requirement met		
Item	V = Voluntary to answer. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P6 Environmental conscious design</b>				
Disassembly, recycling				
P6.1	Gluing/welding of different material has been avoided.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.2	Plastic materials in covers/housing are free from surface coating.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.3	Mechanical plastic parts >100g, consist of one material or of easily separable materials.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.4	Plastic parts >25g, have material codes according to ISO 11469.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.5	<b>V</b> Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.6	If labels are required they should be separable. (This requirement does not apply to safety labels).	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Product lifetime				
P6.7	Upgrading of the product can be done with commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.8	Processor, memory and cards of various types can be changed/upgraded.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.9	Hard disk, CD/DVD drives and / or floppy drive can be changed/upgraded.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.10	<b>V</b> Spare parts are available after end of production for: 7 years			<input type="checkbox"/>
Material requirements				
P6.11	Plastic parts >25g are free from PBB/PBDE, i.e less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.12	<b>V</b> Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/52/53 and R60/61 (67/548/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.13	Chemical specification of flame retardants in plastic parts >25g according to ISO 1043-4 declared below: Product cover/ housing: <b>FR(40)</b> Printed circuit boards: <b>FR(16)</b> <b>V</b> Other plastic parts:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.14	Product cover/housing material type, specified according to ISO 1043-1 Material type >PC + ABS(FR(40))<      Material type >ABS<      Material type			
P6.15	Electrical cable insulation material specification <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other			
P6.16	<b>V</b> Light sources are free from mercury, i.e less than 0.1% b.w. If mercury is used specify: Number of lamps      & max. mercury per lamp      mg	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.17	<b>V</b> Mechanical plastic parts > 25g are free from lead (Pb), i.e. less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.18	<b>V</b> Product parts are free from beryllium (Be) and beryllium oxide (BeO), i.e. less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<b>P7 Batteries</b>				
P7.1	Product is free from batteries defined as hazardous (91/157/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P7.2	<b>V</b> Batteries are used that meet the European eco-label (EU Flower) criteria (2001/687/EC & 2001/686/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P8 Energy consumption</b>				
P8.1	<b>V</b> Maximum power      W      n.a. <input type="checkbox"/> <b>V</b> Operation <b>830 W</b> n.a. <input type="checkbox"/> Low power mode      W <input checked="" type="checkbox"/> Off mode <b>0.05 W</b> <input type="checkbox"/> Sleep mode <b>20 W</b> <input type="checkbox"/> Deep sleep mode      W <input checked="" type="checkbox"/>			
If the product is in Stand by mode, it reverts to:				
<b>V</b>	Low power mode in      min <input checked="" type="checkbox"/> Sleep mode in <b>60 min</b> <input type="checkbox"/>			
<b>V</b>	Deep sleep mode in      min <input type="checkbox"/> Off mode in      min <input type="checkbox"/>			
P8.2	2-sided printing/copying (duplex) from 1-sided originals is an integrated product function.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P8.3	Information about the energy save function is given in the user documentation. (Not applicable when no instruction is needed to operate the energy save function, i.e. the energy save function cannot be adjusted or inhibited by the user.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8.4	The product meets the requirements of ENERGY STAR®.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8.5	<b>V</b> The product meets the requirements of GEEA.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8.6	<b>V</b> Display meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC). <b>V</b> Desktop or portable computer meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

